

AGRICULTURAL SERVICES

CERTIFICATE OF QUALITY

CERTIFICATE NO.

AGRI/USA/2025/US01102-11967R

GENERAL
INFORMATION

CLIENT : INTERTEK INTERNATIONAL
DESCRIPTION : MANNAPACK RICE
LABORATORY REF NO. : 11967-012025.002
DATE SUBMITTED : JANUARY 20, 2025
MARKS/REFERENCE : MPR 011725-SAM

Test	Method	Result	Units per Method
Cadmium (Cd)	ICP	ND <0.1	ppm
Lead (Pb)	ICP	ND <0.1	ppm
Aflatoxin Total (B1, B2, G1, G2)*	AOAC 994.08_Mod	< 1	ppb
Aerobic Plate Count*	AOAC 990.12	820	CFU/g
Enterobacteriaceae*	AOAC 2003.01	<10	CFU/g
Salmonella*	BAM Ch 5C/AOAC 2011.03	Negative	/25g
E. coli*	AOAC 991.14	Absent^A	CFU/g
Staphylococcus Aureus*	AOAC 2003.07/.08/.11	<10	CFU/g
Enterobacter Sakazakii*	ISO 22964	ND	/25g
Pesticides*	AOAC 2007.01	ND <LOQ	mg/kg
Fluensulfone		ND <LOQ	mg/kg
Pydiflumetofen		ND <LOQ	mg/kg

^A- Detection limit for E. coli is 10 CFU/g. ND denotes Not Detected; LOQ indicates limits of quantification. The analysis results denoted (*) were outsourced. Intertek Agri Services cannot accept liability for the accuracy of any results not performed by its own laboratories. *See attached list of pesticides with LOQs. R-Revised Report, this report is to supersede all earlier reports. Results in bold have been revised.* Original report issued March 17, 2025.

The reported results are only representative of the sample submitted for testing to Intertek Agri Services New Orleans Laboratory. Any sample references and identification is reported as submitted and is not verified by Intertek Agri Services New Orleans Laboratory as a representative sample.

For and on behalf of
Intertek Agricultural Services

Signed and dated in: New Orleans, LA
on: 21 March 2025


Andréa Forsyth, Laboratory Manager
Intertek Agricultural Services
2045 Lakeshore Drive, Suite 545
New Orleans, LA 70122
(504) 662-1420

Except where explicitly agreed in writing, all work and services performed by Intertek are subject to Intertek standard Terms and Conditions which can be found on our website at: <http://www.intertek.com/terms/>. This certificate is addressed to and for the sole benefit of the Customer. Only the Customer is authorized to permit copying or distribution of this certificate and then only in its entirety and only pursuant to the purpose for which it was prepared and provided. The issuance of this certificate does not exonerate any party from exercising all of their rights and discharging all of their commercial, legal or contractual liabilities with any third party. Any reported observations and results within this certificate should be read and relied upon only in the context of the intervention of Intertek and for the purpose for which this certificate was prepared and provided. The reported observations were made on the basis of information, materials received from the Customer or its nominated third parties or on the basis of facts and information in existence at the time and place of the intervention of Intertek only and collected by Intertek in accordance with the Customer's instructions, or in the absence of such instructions, in accordance with generally accepted practices and standards of the industry. Reported result(s) relate only to the samples that were collected in accordance with the instruction of Customer.

AGRICULTURAL SERVICES

CERTIFICATE OF QUALITY

CERTIFICATE NO.

AGRI/USA/2025/US01102-11967R

GENERAL
INFORMATION

CLIENT : INTERTEK INTERNATIONAL
DESCRIPTION : MANNAPACK MIX
LABORATORY REF NO. : 11967-012025.003
DATE SUBMITTED : JANUARY 20, 2025
MARKS/REFERENCE : MPM 011725-SAM

Test	Method	Result	Units per Method
Cadmium (Cd)	ICP	ND <0.1	ppm
Lead (Pb)	ICP	ND <0.1	ppm
Aflatoxin Total (B1, B2, G1, G2)*	AOAC 994.08_Mod	< 1	ppb
Aerobic Plate Count*	AOAC 990.12	1,100	CFU/g
Enterobacteriaceae*	AOAC 2003.01	<10	CFU/g
Salmonella*	BAM Ch 5C/AOAC 2011.03	Negative	/25g
E. coli*	AOAC 991.14	Absent^A	CFU/g
Staphylococcus Aureus*	AOAC 2003.07/.08/.11	<10	CFU/g
Enterobacter Sakazakii*	ISO 22964	ND	/25g
Pesticides*	AOAC 2007.01	ND <LOQ	mg/kg
Fluensulfone		ND <LOQ	mg/kg
Pydiflumetofen		ND <LOQ	mg/kg

^A- Detection limit for E. coli is 10 CFU/g. ND denotes Not Detected; LOQ indicates limits of quantification. The analysis results denoted (*) were outsourced. Intertek Agri Services cannot accept liability for the accuracy of any results not performed by its own laboratories. *See attached list of pesticides with LOQs. R-Revised Report, this report is to supersede all earlier reports. Results in bold have been revised.* Original report issued March 17, 2025.

The reported results are only representative of the sample submitted for testing to Intertek Agri Services New Orleans Laboratory. Any sample references and identification is reported as submitted and is not verified by Intertek Agri Services New Orleans Laboratory as a representative sample.

For and on behalf of
Intertek Agricultural Services

Signed and dated in: New Orleans, LA
on: 21 March 2025



Andréa Forsyth, Laboratory Manager
Intertek Agricultural Services
2045 Lakeshore Drive, Suite 545
New Orleans, LA 70122
(504) 662-1420

Except where explicitly agreed in writing, all work and services performed by Intertek are subject to Intertek standard Terms and Conditions which can be found on our website at: <http://www.intertek.com/terms/>. This certificate is addressed to and for the sole benefit of the Customer. Only the Customer is authorized to permit copying or distribution of this certificate and then only in its entirety and only pursuant to the purpose for which it was prepared and provided. The issuance of this certificate does not exonerate any party from exercising all of their rights and discharging all of their commercial, legal or contractual liabilities with any third party. Any reported observations and results within this certificate should be read and relied upon only in the context of the intervention of Intertek and for the purpose for which this certificate was prepared and provided. The reported observations were made on the basis of information, materials received from the Customer or its nominated third parties or on the basis of facts and information in existence at the time and place of the intervention of Intertek only and collected by Intertek in accordance with the Customer's instructions, or in the absence of such instructions, in accordance with generally accepted practices and standards of the industry. Reported result(s) relate only to the samples that were collected in accordance with the instruction of Customer.

AGRICULTURAL SERVICES

CERTIFICATE OF QUALITY

CERTIFICATE NO.

AGRI/USA/2025/US01102-11967R

GENERAL
INFORMATION

CLIENT : INTERTEK INTERNATIONAL
DESCRIPTION : MANNAPACK POTATO D
LABORATORY REF NO. : 11967-012025.004
DATE SUBMITTED : JANUARY 20, 2025
MARKS/REFERENCE : MPPD 011725-SAM

Test	Method	Result	Units per Method
Cadmium (Cd)	ICP	ND <0.1	ppm
Lead (Pb)	ICP	ND <0.1	ppm
Aflatoxin Total (B1, B2, G1, G2)*	AOAC 994.08_Mod	< 1	ppb
Aerobic Plate Count*	AOAC 990.12	2,800	CFU/g
Enterobacteriaceae*	AOAC 2003.01	<10	CFU/g
Salmonella*	BAM Ch 5C/AOAC 2011.03	Negative	/25g
E. coli*	AOAC 991.14	Absent^A	CFU/g
Staphylococcus Aureus*	AOAC 2003.07/.08/.11	<10	CFU/g
Enterobacter Sakazakii*	ISO 22964	ND	/25g
Pesticides*	AOAC 2007.01	ND <LOQ	mg/kg
Fluensulfone		ND <LOQ	mg/kg
Pydiflumetofen		ND <LOQ	mg/kg
Chlorpropham (CICP)		2.9	mg/kg
Azoxystrobin		0.062	mg/kg
Clothianidin		0.048	mg/kg
Difenoconazole		0.099	mg/kg
Fludioxonil		0.087	mg/kg

^A- Detection limit for E. coli is 10 CFU/g. ND denotes Not Detected; LOQ indicates limits of quantification. The analysis results denoted (*) were outsourced. Intertek Agri Services cannot accept liability for the accuracy of any results not performed by its own laboratories. See attached list of pesticides with LOQs. R-Revised Report, this report is to supersede all earlier reports. Results in bold have been revised. Original report issued March 17, 2025.

Except where explicitly agreed in writing, all work and services performed by Intertek are subject to Intertek standard Terms and Conditions which can be found on our website at: <http://www.intertek.com/terms/> This certificate is addressed to and for the sole benefit of the Customer. Only the Customer is authorized to permit copying or distribution of this certificate and then only in its entirety and only pursuant to the purpose for which it was prepared and provided. The issuance of this certificate does not exonerate any party from exercising all of their rights and discharging all of their commercial, legal or contractual liabilities with any third party. Any reported observations and results within this certificate should be read and relied upon only in the context of the intervention of Intertek and for the purpose for which this certificate was prepared and provided. The reported observations were made on the basis of information, materials received from the Customer or its nominated third parties or on the basis of facts and information in existence at the time and place of the intervention of Intertek only and collected by Intertek in accordance with the Customer's instructions, or in the absence of such instructions, in accordance with generally accepted practices and standards of the industry. Reported result(s) relate only to the samples that were collected in accordance with the instruction of Customer.

The reported results are only representative of the sample submitted for testing to Intertek Agri Services New Orleans Laboratory. Any sample references and identification is reported as submitted and is not verified by Intertek Agri Services New Orleans Laboratory as a representative sample.

For and on behalf of
Intertek Agricultural Services

Signed and dated in: New Orleans, LA
on: 21 March 2025



Andréa Forsyth, **Laboratory Manager**

Intertek Agricultural Services
2045 Lakeshore Drive, Suite 545
New Orleans, LA 70122
(504) 662-1420

Except where explicitly agreed in writing, all work and services performed by Intertek are subject to Intertek standard Terms and Conditions which can be found on our website at: <http://www.intertek.com/terms/> This certificate is addressed to and for the sole benefit of the Customer. Only the Customer is authorized to permit copying or distribution of this certificate and then only in its entirety and only pursuant to the purpose for which it was prepared and provided. The issuance of this certificate does not exonerate any party from exercising all of their rights and discharging all of their commercial, legal or contractual liabilities with any third party. Any reported observations and results within this certificate should be read and relied upon only in the context of the intervention of Intertek and for the purpose for which this certificate was prepared and provided. The reported observations were made on the basis of information, materials received from the Customer or its nominated third parties or on the basis of facts and information in existence at the time and place of the intervention of Intertek only and collected by Intertek in accordance with the Customer's instructions, or in the absence of such instructions, in accordance with generally accepted practices and standards of the industry. Reported result(s) relate only to the samples that were collected in accordance with the instruction of Customer.

AGRICULTURAL SERVICES

CERTIFICATE OF QUALITY

CERTIFICATE NO.

AGRI/USA/2025/US01102-11967R

GENERAL
INFORMATION

CLIENT : INTERTEK INTERNATIONAL
DESCRIPTION : MANNAPACK POTATO W
LABORATORY REF NO. : 11967-012025.005
DATE SUBMITTED : JANUARY 20, 2025
MARKS/REFERENCE : MPPW 011725-SAM

Test	Method	Result	Units per Method
Cadmium (Cd)	ICP	ND <0.1	ppm
Lead (Pb)	ICP	ND <0.1	ppm
Aflatoxin Total (B1, B2, G1, G2)*	AOAC 994.08_Mod	< 1	ppb
Aerobic Plate Count*	AOAC 990.12	3,400	CFU/g
Enterobacteriaceae*	AOAC 2003.01	<10	CFU/g
Salmonella*	BAM Ch 5C/AOAC 2011.03	Negative	/25g
E. coli*	AOAC 991.14	Absent^A	CFU/g
Staphylococcus Aureus*	AOAC 2003.07/.08/.11	<10	CFU/g
Enterobacter Sakazakii*	ISO 22964	ND	/25g
Pesticides*	AOAC 2007.01	ND <LOQ	mg/kg
Fluensulfone		ND <LOQ	mg/kg
Pydiflumetofen		ND <LOQ	mg/kg
Chlorpropham (CIPC)		1.2	mg/kg
Azoxystrobin		0.019	mg/kg
Clothianidin		0.025	mg/kg
Difenoconazole		0.023	mg/kg
Fludioxonil		0.022	mg/kg
Imidacloprid		0.013	mg/kg

^A- Detection limit for E. coli is 10 CFU/g. ND denotes Not Detected; LOQ indicates limits of quantification. The analysis results denoted (*) were outsourced. Intertek Agri Services cannot accept liability for the accuracy of any results not performed by its own laboratories. *See attached list of pesticides with LOQs. R-Revised Report, this report is to supersede all earlier reports. Results in bold have been revised.* Original report issued March 17, 2025.

Except where explicitly agreed in writing, all work and services performed by Intertek are subject to Intertek standard Terms and Conditions which can be found on our website at: <http://www.intertek.com/terms/> This certificate is addressed to and for the sole benefit of the Customer. Only the Customer is authorized to permit copying or distribution of this certificate and then only in its entirety and only pursuant to the purpose for which it was prepared and provided. The issuance of this certificate does not exonerate any party from exercising all of their rights and discharging all of their commercial, legal or contractual liabilities with any third party. Any reported observations and results within this certificate should be read and relied upon only in the context of the intervention of Intertek and for the purpose for which this certificate was prepared and provided. The reported observations were made on the basis of information, materials received from the Customer or its nominated third parties or on the basis of facts and information in existence at the time and place of the intervention of Intertek only and collected by Intertek in accordance with the Customer's instructions, or in the absence of such instructions, in accordance with generally accepted practices and standards of the industry. Reported result(s) relate only to the samples that were collected in accordance with the instruction of Customer.

The reported results are only representative of the sample submitted for testing to Intertek Agri Services New Orleans Laboratory. Any sample references and identification is reported as submitted and is not verified by Intertek Agri Services New Orleans Laboratory as a representative sample.

For and on behalf of
Intertek Agricultural Services

Signed and dated in: New Orleans, LA
on: 21 March 2025



Andréa Forsyth, **Laboratory Manager**

Intertek Agricultural Services
2045 Lakeshore Drive, Suite 545
New Orleans, LA 70122
(504) 662-1420

Except where explicitly agreed in writing, all work and services performed by Intertek are subject to Intertek standard Terms and Conditions which can be found on our website at: <http://www.intertek.com/terms/> This certificate is addressed to and for the sole benefit of the Customer. Only the Customer is authorized to permit copying or distribution of this certificate and then only in its entirety and only pursuant to the purpose for which it was prepared and provided. The issuance of this certificate does not exonerate any party from exercising all of their rights and discharging all of their commercial, legal or contractual liabilities with any third party. Any reported observations and results within this certificate should be read and relied upon only in the context of the intervention of Intertek and for the purpose for which this certificate was prepared and provided. The reported observations were made on the basis of information, materials received from the Customer or its nominated third parties or on the basis of facts and information in existence at the time and place of the intervention of Intertek only and collected by Intertek in accordance with the Customer's instructions, or in the absence of such instructions, in accordance with generally accepted practices and standards of the industry. Reported result(s) relate only to the samples that were collected in accordance with the instruction of Customer.